AUTHOR INDEX

Ali, S.Y., see Caswell, A.M. (924) 276
Al-Lamee, K.G., see Bamford, C.H. (924) 38
Allen, A.K., see Attanoos, R.L. (924) 154
AL-Romaihi, F.A., see Walter, H. (924) 249
Arai, K., Iizuka, S., Tada, Y., Oikawa, K. and Taniguchi, N.
Increase in the glucosylated form of erythrocyte Cu-Zn-superoxide dismutase in diabetes and close association of the nonenzymatic glucosylation with the enzyme activity (924) 292
Attanoos, R.L. and Allen, A.K.
The characterization of the proteins which are secreted by the mucocysts of *Tetrahymena thermophila* (924) 154

Baer, A.R., Cheeseman, C.I. and Thomson, A.B.R.
Substrate specificity in the stimulation of intestinal ornithine decarboxylase activity by refeeding after starvation (924) 257
Baltz, M.L., see Maudsley, S. (924) 75
Bamford, C.H., Middleton, I.P. and Al-Lamee, K.G.
Polymeric inhibitors of platelet aggregation. II. Copolymers of dipyridamole and related drugs with *N*-vinylpyrrolidone (924) 38
Barclay, L.R.C., see Wayner, D.D.M. (924) 408
Barreau, F., see Gabrielides, C. (924) 238
Bate, A.J. and Dickson, A.J.
Relative importance of physiological precursors for ketogenesis in the nutritional homeostasis of the development of the embryonic chick (924) 7
Batenburg, J.J., see Heesbeen, E.C. (924) 284
Beck, E.A., see Furlan, M. (924) 27
Belew, M., see Sandberg, M. (924) 185
Berman, E. and Lis, H.
^{13}C-NMR study of the binding of [1-^{13}C]galactose-labelled *N*-acetyllactosamine and [1-^{13}C]galactose-enriched hen ovalbumin to soybean agglutinin (924) 403
Bonnet, J., see Rousson, R. (924) 502
Borch-Iohnsen, B., see Dickson, D.P.E. (924) 442
Borut, A., see Eckstein, B. (924) 1
Budzynski, A.Z., see Knight, L.C. (924) 45
Bunnett, N.W., see Shaw, C. (924) 167
Bunning, R.A.D., Crawford, A., Richardson, H.J., Opdenakker, G., Van Damme, J. and Russell, R.G.G.
Interleukin 1 preferentially stimulates the production of tissue-type plasminogen activator by human articular chondrocytes (924) 473
Burkhardt, H., Kasten, M. and Rauls, S.
Purification and characterization of a serine proteinase inhibitor from human articular cartilage (924) 312
Burton, G.W., see Wayner, D.D.M. (924) 408
Bush, C.A., see Wu, S.-S. (924) 420
Buttress, N., see Maudsley, S. (924) 75

Caswell, A.M., Ali, S.Y. and Russell, R.G.G.
Nucleoside triphosphate pyrophosphatase of rabbit matrix vesicles, a mechanism for the generation of inorganic pyrophosphate in epiphyseal cartilage (924) 276
Chapman, D., see Freeman, F.J. (924) 341
Chedekel, M.R., see Koch, W.H. (924) 458
Cheeseman, C.I., see Baer, A.R. (924) 257
Chen, W.-Y., see Teng, C.-M. (924) 375
Cierniewski, C.S., Niewiarowski, S., Hershock, D., Rucinski, B. and Schmaier, A.H.
Quantitation and characterization of human platelet glycoprotein IIIa by radioimmunoassay (924) 216
Cohen, S., see Eckstein, B. (924) 1
Conlon, J.M., see Shaw, C. (924) 167
Crawford, A., see Bunning, R.A.D. (924) 473
Crouch, E. and Longmore, W.
Collagen-binding proteins secreted by type II pneumocytes in culture (924) 81
Crowther, R.S., Roomi, N.W., Fahim, R.E.F. and Forstner, J.F.
Vibrio cholerae metalloproteinase degrades intestinal mucin and facilitates enterotoxin-induced secretion from rat intestine (924) 393

Deinhart, J.A., see Wilson, J.R. (924) 332
Devlin, T.M., see Uribe, S. (924) 87
Dhanaraj, V. and Vijayan, M.
Crystal structures of 1:1 complexes of meclofenamic acid with choline and ethanolamine (924) 135
Dickson, A.J., see Bate, A.J. (924) 7
Dickson, D.P.E., Meagher, A., Nilssen, K.J. and Borch-Iohnsen, B.
Seasonal variation in the form of iron in the liver of Spitsbergen reindeer: a Mössbauer spectroscopic study (924) 442
Dickson, D.P.E., see St. Pierre, T.G. (924) 447
Douste-Blazy, L., see Hardy, M. (924) 557
Drea, C.M., see Katz, M.L. (924) 432
Dubbelman, T.M.A.R., see Van der Zee, J. (924) 111

Eckstein, B., Borut, A. and Cohen, S.
Metabolic pathways for androstanediol formation in immature rat testis microsomes (924) 1
Edwards, G.E., see Nakamoto, H. (924) 360
Eisen, D. and Franson, R.C.
Acid-active neuraminidases in the growth media from cul-

tures of pathogenic *Naegleria fowleri* and in sonicates of rabbit alveolar macrophages (924) 369
Ellar, D.J., see Knowles, B.H. (924) 509

Fahim, R.E.F., see Crowther, R.S. (924) 393
Fallon, A.M., see Hotchkin, P.G. (924) 352
Feinstein, A., see Maudsley, S. (924) 75
Forster, S., Scarlett, L. and Lloyd, J.B.
The effect of lysosomotropic detergents on the permeability properties of the lysosome membrane (924) 452
Forstner, J.F., see Crowther, R.S. (924) 393
Franson, R.C., see Eisen, D. (924) 369
Freeman, F.J., Hayward, J.A. and Chapman, D.
Permeability studies on liposomes formed from polymerisable diacetylenic phospholipids and their potential applications as drug delivery systems (924) 341
Fridovich, I., see Liochev, S. (924) 319
Fujita, T., see Otani, M. (924) 467
Furlan, M., Stieger, J. and Beck, E.A.
Exposure of platelet binding sites in von Willebrand factor by adsorption onto polystyrene latex particles (924) 27

Gabrielides, C. and Barreau, F.
A vertebrate interstitial collagenase inhibitor from bovine scapular cartilage: purification and characterization (924) 238
Garner, A., see Wilkes, J.M. (924) 159
Ghisla, S., see Kurfuerst, M. (924) 104
Ginzburg, B.Z., see Morgan, H. (924) 54
Ginzburg, M., see Morgan, H. (924) 54
Göke, R., see Shaw, C. (924) 167
Greijer, E., see Sandberg, M. (924) 185
Grigoryan, N.A., see Mikaelyan, M.V. (924) 548

Hanski, C., see Hartel, S. (924) 543
Hardy, M., Salvayre, R., Maret, A. and Douste-Blazy, L.
Irreversible inhibition of hexosaminidase C by medium-chain monocarboxylic acids and Triton X-100 (924) 557
Hartel, S., Hanski, C., Kreisel, W., Hoffmann, C., Mauck, J. and Reutter, W.
Rapid purification of dipeptidyl peptidase IV from rat liver plasma membrane (924) 543
Hastings, J.W., see Kurfuerst, M. (924) 104
Hayward, J.A., see Freeman, F.J. (924) 341
Heesbeen, E.C., Rijksen, G., Batenburg, J.J., Van Golde, L.M.G. and Staal, G.E.J.
Phosphofructokinase in rat lung during perinatal development: characterization of subunit composition and regulation by fructose 2,6-bisphosphate and glucose 1,6-bisphosphate (924) 284
Herbert, J., see Maudsley, S. (924) 75
Herrero, E., see Sanz, P. (924) 193
Hershock, D., see Cierniewski, C.S. (924) 216
Hoffmann, C., see Hartel, S. (924) 543
Hommes, F.A., Moss, L. and Touchton, J.
Purification and some properties of liver adenylylsulfate kinase (924) 270
Hotchkin, P.G. and Fallon, A.M.
Ribosome metabolism during the vitellogenic cycle of the mosquito, *Aedes aegypti* (924) 352
Hunt, L.A.
Oligosaccharides of the Hazelhurst vesicular stomatitis virus glycoprotein are more extensively processed in Rous sarcoma virus-transformed baby hamster kidney cells (924) 175

Iizuka, S., see Arai, K. (924) 292
Ingold, K.U., see Wayner, D.D.M. (924) 408
Ishii, H., see Ishii, S. (924) 530
Ishii, S., Ishii, H., Watanabe, T. and Suga, T.
Purification and properties of peroxisomal carnitine palmitoyltransferase in chick embryo liver (924) 530
Israelite, C., see Uribe, S. (924) 87

Kalinke, T., see Kornguth, S.E. (924) 19
Kalyanaraman, B., see Korytowski, W. (924) 383
Kasten, M., see Burkhardt, H. (924) 312
Katz, M.L., Drea, C.M. and Robison, W.G., Jr.
Dietary vitamins A and E influence retinyl ester composition and content of the retinal pigment epithelium (924) 432
Ketis, N.V.
Analysis of 100 kDa polypeptides from coated vesicles of bovine brain: two-dimensional tryptic and chymotryptic maps (924) 303
Kirkwood, J.K., see St. Pierre, T.G. (924) 447
Knight, L.C., Kollmann, M., Maurer, A.H. and Budzynski, A.Z.
Binding properties of ^{111}In-diethylenetriaminepentaacetic acid (DTPA)-fragment $E_{1,2}$, a fibrin-specific probe, are dependent on use of protecting complex during attachment of DTPA groups (924) 45
Knowles, B.H. and Ellar, D.J.
Colloid-osmotic lysis is a general feature of the mechanism of action of *Bacillus thuringiensis* δ-endotoxins with different insect specificity (924) 509
Ko, W.-C., see Teng, C.-M. (924) 375
Koch, W.H. and Chedekel, M.R.
Photogeneration of free radicals from eumelanogenic intermediates and metabolites (924) 458
Kojo, S., see Nakata, R. (924) 297
Kollmann, M., see Knight, L.C. (924) 45
Kontoghiorghes, G.J.
2-Hydroxypyridine-*N*-oxides: effective new chelators in iron mobilisation (924) 13
Kornguth, S.E., Kalinke, T. and Pietro, W.
The electronic spectra of porphyrin-like cobalt-tetracarboxy-phthalocyanines as modified by polylysine and polyglycols (924) 19
Korytowski, W., Sarna, T., Kalyanaraman, B. and Sealy, R.C.
Tyrosinase-catalyzed oxidation of dopa and related catechol(amine)s: a kinetic electron spin resonance investigation using spin-stabilization and spin label oximetry (924) 383
Koyama, M., see Sakurai, H. (924) 562
Kreisel, W., see Hartel, S. (924) 543

Kumaoka, H., see Tazuya, K. (924) 210
Kurfuerst, M., Macheroux, P., Ghisla, S. and Hastings, J.W.
Isolation and characterization of the transient, luciferase-bound flavin-4a-hydroxide in the bacterial luciferase reaction (924) 104

Lane, B., see Zucker, S. (924) 225
Lee, A.C., see Wu, S.-S. (924) 420
Lin, B., see Stevens, E.S. (924) 99
Liochev, S. and Fridovich, I.
The oxidation of NADH by vanadate plus sugars (924) 319
Lis, H., see Berman, E. (924) 403
Lloyd, J.B., see Forster, S. (924) 452
Locke, S.J., see Wayner, D.D.M. (924) 408
Longmore, W., see Crouch, E. (924) 81
Louisot, P., see Rousson, R. (924) 502
Lundahl, P., see Sandberg, M. (924) 185
Luther, R., see Weiser, M.M. (924) 323
Lysik, R.M., see Zucker, S. (924) 225

Macheroux, P., see Kurfuerst, M. (924) 104
Majumdar, S., see Weiser, M.M. (924) 323
Maret, A., see Hardy, M. (924) 557
Mauck, J., see Hartel, S. (924) 543
Maudsley, S., Baltz, M.L., Munn, E.A., Buttress, N., Herbert, J., Feinstein, A. and Pepys, M.B.
Isolation and characterisation of goat C-reactive protein (924) 75
Maurer, A.H., see Knight, L.C. (924) 45
McCord, S., see Thiagarajan, P. (924) 127
McHale, A.P.
Production and characterization of monoclonal antibodies to the cellulases produced by *Talaromyces emersonii* CBS 814.70 (924) 147
Meagher, A., see Dickson, D.P.E. (924) 442
Merkel, G.J. and Phelps, C.L.
Mitogenic and morphogenic effects of a bovine salivary gland extract on astrocytes and fibroblasts (924) 492
Middleton, I.P., see Bamford, C.H. (924) 38
Mikaelyan, M.V., Grigoryan, N.A. and Nalbandyan, R.M.
Similarities of physico-chemical and antigenic properties of neurocupreins and extremely acidic copper proteins from chromaffin granules (924) 548
Miyoshi, M., see Nakata, R. (924) 297
Morgan, H., Ginzburg, M. and Ginzburg, B.Z.
Dielectric properties of the halophilic bacteria *Halobacterium halobium* and *H. marismortui* with reference to the conductivities and permittivities of the cytoplasmic membrane and intracellular phases (924) 54
Moss, L., see Hommes, F.A. (924) 270
Munn, E.A., see Maudsley, S. (924) 75

Nakamoto, H. and Edwards, G.E.
Effect of adenine nucleotides on the reaction catalyzed by pyruvate,orthophosphate dikinase in maize (924) 360
Nakamura, K., see Tazuya, K. (924) 210
Nakata, R., Tsukamoto, I., Miyoshi, M. and Kojo, S.
Purification and characterization of thymidylate synthetase from rat regenerating liver (924) 297
Nalbandyan, R.M., see Mikaelyan, M.V. (924) 548
Niewiarowski, S., see Cierniewski, C.S. (924) 216
Nilssen, K.J., see Dickson, D.P.E. (924) 442
Nishida, M., see Sakurai, H. (924) 562

Ohinishi, S.T., see Uribe, S. (924) 87
Oikawa, K., see Arai, K. (924) 292
Okamura, N., see Tajima, Y. (924) 519
Opdenakker, G., see Bunning, R.A.D. (924) 473
Otani, M., Fujita, T., Umezawa, C. and Sano, K.
Gluconate metabolism in germinated spores of *Bacillus megaterium* QM B1551: primary roles of gluconokinase and the pentose cycle (924) 467
Ouyang, C., see Teng, C.-M. (924) 375

Pepys, M.B., see Maudsley, S. (924) 75
Peters, T.J., see St. Pierre, T.G. (924) 447
Peters, T.J., see Wilkes, J.M. (924) 159
Phelps, C.L., see Merkel, G.J. (924) 492
Pietro, W., see Kornguth, S.E. (924) 19

Ramamurthy, N., see Zucker, S. (924) 225
Rauls, S., see Burkhardt, H. (924) 312
Reutter, W., see Hartel, S. (924) 543
Richardson, H.J., see Bunning, R.A.D. (924) 473
Rijksen, G., see Heesbeen, E.C. (924) 284
Robison, W.G., Jr., see Katz, M.L. (924) 432
Roomi, N.W., see Crowther, R.S. (924) 393
Rose, R.C.
Solubility properties of reduced and oxidized ascorbate as determinants of membrane permeation (924) 254
Rossini, G.P.
Transformation of glucocorticoid-receptor complex oligomers to DNA-binding forms in the absence of monomerization (924) 119
Rousson, R., Bonnet, J., Louisot, P. and Vanier, M.T.
Presence of immunoreactive material in Niemann-Pick type A placenta using anti-sphingomyelinase rabbit gamma-globulins (924) 502
Rucinski, B., see Cierniewski, C.S. (924) 216
Russell, R.G.G., see Bunning, R.A.D. (924) 473
Russell, R.G.G., see Caswell, A.M. (924) 276

Sakurai, H., Nishida, M., Koyama, M. and Takada, J.
Occurrence of vanadium ion in serum albumins (924) 562
Salvayre, R., see Hardy, M. (924) 557
Sandberg, M., Lundahl, P., Greijer, E. and Belew, M.
Immobilization of phospholipid vesicles on alkyl derivatives of agarose gel beads (924) 185
Sano, K., see Otani, M. (924) 467
Sanz, P., Herrero, E. and Sentandreu, R.
Secretory pattern of a major integral mannoprotein of the yeast cell wall (924) 193
Sarna, T., see Korytowski, W. (924) 383
Scarlett, L., see Forster, S. (924) 452
Schmaier, A.H., see Cierniewski, C.S. (924) 216
Sealy, R.C., see Korytowski, W. (924) 383
Sentandreu, R., see Sanz, P. (924) 193
Shapiro, S.S., see Thiagarajan, P. (924) 127

Shaw, C., Göke, R., Bunnett, N.W. and Conlon, J.M.
Catabolism of neurotensin in the epithelial layer of porcine small intestine (924) 167
Siebenaller, J.F., see Yancey, P.H. (924) 483
Simonides, W.S. and Van Hardeveld, C.
Effects of hypothyroidism on the distribution and fatty acyl composition of phospholipids in sarcoplasmic reticulum of fast skeletal muscle of the rat (924) 204
Sinha, B.K.
Activation of hydrazine derivatives to free radicals in the perfused rat liver: a spin-trapping study (924) 261
Staal, G.E.J., see Heesbeen, E.C. (924) 284
Stevens, E.S. and Lin, B.
Vacuum ultraviolet circular dichroism of keratan sulfate (924) 99
Stieger, J., see Furlan, M. (924) 27
St. Pierre, T.G., Dickson, D.P.E., Kirkwood, J.K., Ward, R.J. and Peters, T.J.
A Mössbauer spectroscopic study of the form of iron in iron overload (924) 447
Suga, T., see Ishii, S. (924) 530
Sugita, Y., see Tajima, Y. (924) 519
Sweterlitsch, L., see Thiagarajan, P. (924) 127

Tada, Y., see Arai, K. (924) 292
Tajima, Y., Okamura, N. and Sugita, Y.
The activating effects of bicarbonate on sperm motility and respiration at ejaculation (924) 519
Takada, J., see Sakurai, H. (924) 562
Taniguchi, N., see Arai, K. (924) 292
Tazuya, K., Yamada, K., Nakamura, K. and Kumaoka, H.
The origin of the sulfur atom of thiamin (924) 210
Teng, C.-M., Chen, W.-Y., Ko, W.-C. and Ouyang, C.
Antiplatelet effect of butylidenephthalide (924) 375
Thiagarajan, P., Shapiro, S.S., Sweterlitsch, L. and McCord, S.
A human erythroleukemia cell line synthesizes a functionally active glycoprotein IIb-IIIa complex capable of binding fibrinogen (924) 127
Thomson, A.B.R., see Baer, A.R. (924) 257
Tijssen-Christianse, K., see Van der Zee, J. (924) 111
Touchton, J., see Hommes, F.A. (924) 270
Tsai, A.-l. and Wu, K.K.
Stabilization mechanism of prostacyclin by human serum: an approach by binding kinetics using a stable prostaglandin I_2 analogue, iloprost (924) 67
Tsukamoto, I., see Nakata, R. (924) 297

Umezawa, C., see Otani, M. (924) 467
Uribe, S., Ohinishi, S.T., Israelite, C. and Devlin, T.M.
Calcium ionophoretic activity of chemically synthesized oligomeric derivatives of prostaglandin B_1 (924) 87

Van Damme, J., see Bunning, R.A.D. (924) 473
Van der Zee, J., Tijssen-Christianse, K., Dubbelman, T.M.A.R. and Van Steveninck, J.
The influence of ozone on human red blood cells. Comparison with other mechanisms of oxidative stress (924) 111
Van Golde, L.M.G., see Heesbeen, E.C. (924) 284
Van Hardeveld, C., see Simonides, W.S. (924) 204
Vanier, M.T., see Rousson, R. (924) 502
Van Steveninck, J., see Van der Zee, J. (924) 111
Vijayan, M., see Dhanaraj, V. (924) 135

Walter, H. and AL-Romaihi, F.A.
The partitioning behavior of K-562 cells associated with different stages of culture growth (924) 249
Ward, R.J., see St. Pierre, T.G. (924) 447
Watanabe, T., see Ishii, S. (924) 530
Wayner, D.D.M., Burton, G.W., Ingold, K.U., Barclay, L.R.C. and Locke, S.J.
The relative contributions of vitamin E, urate, ascorbate and proteins to the total peroxyl radical-trapping antioxidant activity of human blood plasma (924) 408
Weiser, M.M., Majumdar, S., Wilson, J.R. and Luther, R.
Distribution, purification and characterization of rat intestinal UDPgalactose : *N*-acetylglucosaminyl(β1 → 4)galactosyltransferase (924) 323
Weiser, M.M., see Wilson, J.R. (924) 332
Wieman, J.M., see Zucker, S. (924) 225
Wilkes, J.M., Garner, A. and Peters, T.J.
Studies on the localization and properties of rat duodenal HCO_3^--ATPase with special relation to alkaline phosphatase (924) 159
Wilkie, D.P., see Zucker, S. (924) 225
Wilson, J.R., Deinhart, J.A. and Weiser, M.M.
The distribution and partial characterization of UDPgalactose: *N*-acetylgalactosamine mucin galactosyltransferase activity from rat small intestine and its sensitivity to Zn^{2+} (924) 332
Wilson, J.R., see Weiser, M.M. (924) 323
Wu, K.K., see Tsai, A.-l. (924) 67
Wu, S.-S., Lee, A.C. and Bush, C.A.
Isolation of a novel O-linked, sulfated polysaccharide of high molecular weight from an ovarian cyst glycoprotein having blood group "A" activity (924) 420

Yamada, K., see Tazuya, K. (924) 210
Yancey, P.H. and Siebenaller, J.F.
Coenzyme binding ability of homologs of M_4-lactate dehydrogenase in temperature adaptation (924) 483

Zucker, S., Wieman, J.M., Lysik, R.M., Wilkie, D.P., Ramamurthy, N. and Lane, B.
Metastatic mouse melanoma cells release collagen-gelatin degrading metalloproteinases as components of shed membrane vesicles (924) 225